

Spectrum Cutting Solutions Pvt Itd

Product Data Sheet

"SCOL PII- 8218"

Product Description:

"SCOL PII-8218" is a water-soluble cutting oil Emulsifier package, which base on surfactant, sulphonate Amide, Ester base chemistry.

"SCOL PII-8218" have inbuilt Biocide which take care of bacterial growth.

"SCOL PII-8218" have inbuilt Defoamer which take care of foaming properties.

"SCOL PII-8218" is high performance package which work on Group II mineral Base oil.

"SCOL PII-8218" covers Aniline point range from 95 °C to 115 °C.

Typical Properties:

1) Color : Amber to Dark Brown.

2) Appearance : Viscous Liquid.3) Acid value : Max 20. MgKoH/g

3) Acid value : Max 20. MgKoH/gm 4) Amine value : Max 75. MgKoH/gm

5) PH 5% in Distilled water : Min 9.5

6) Oil solubility 18 % in Group II : Bright & clear 7) Thermal stability at 50 °C : No separation

Key performance:

1. Excellent corrosion protection

- 2. Self-Emulsification
- 3. Biodegradable
- 4. Excellent Hard water stability
- 5. Cost Effective
- 6. Satisfies IS 1115 requirement
- 7. Good performance in Group II Mineral base oil.



Spectrum Cutting Solutions Pvt Itd

Guideline Formulations:

Raw material	Formulation 1	Formulation 2
SCOL 8218	18%	18%
SN 150 GrII	82%	-
SN 70 GrII	-	82%
Total	100%	100%

Result:

Properties	Formulation 1	Formulation 2
Emulsion stability in ratio 20:1 & 5:1 At 400ppm Hard water (IS 1115 P:98)	Passes	Passes
Cast iron Test in ratio 20:1 At 400 ppm Hard water (IS 1115 Appendix A)	Passes	Passes
Frothing test in ration 20:1& 5:1 in 200 ppm Hard water(IS 1115 P:99)	Passes	Passes
Thermal stability at 50 °C(IS 1115 P:100)	Passes	Passes
Stability test at 4 °C	Passes	Passes
Emulsion colour	Milky white	Milky white

Dosing:

18% to 20%

Flamingo, Empire, 'A' Wing, Flat No 502, Survey No. 22, Behind Maratha Mandir Near Pristine Fontana Bldg., Bavdhan (Khurd), Pune -411021, Maharashtra info@spectrumcspl.com www.spectrumcspl.com



Spectrum Cutting Solutions Pvt Itd

Storage condition:

Store inside warehouse, Temperature condition 10°C to 35°C

Avoid water collecting on barrel top,

Shelf life:

6 month Form Date of manufacturing.

Pack size:

50 kgs HDPE Carboy, 200kgs HDPE Drums

For Health & safety please refer MSDS

Guidance information is given as per our Knowledge.